

36 Years with your trust

Ready Stock - Price List

w.e.f. NOV 2025



TEKSON®

Stay connected. Stay wired

Since 1989

Order Time : 10:00 AM - 7:00 PM
Delivery Time : Anytime (24 x 7)
Site Delivery : Extra Cartage
Drum & Crane Charges Extra



FIA TAC
FIRE INSURANCE/TARIFF ADVISORY COMMITTEE APPROVED

**FR
PVC**

Switchgears & DBs



Shielded & Other Cables



Flexible & Control Cables



MS Fitting Powder Coated



PVC Fitting



Fan Rod | Leads | Tapes



Updated 15-Mar-2026

NOV' 2025

w.e.f. Nov' 2025

IS : 694



CML - 8817291

FIA TAC
FR / FRLS
TEKSON®
CABLES
FR GRADE PVC **ROUND COPPER** FLEXIBLE CABLE

HSN: 85446020

SINGLE CORE**MULTI CORE (BLACK)**

1



Color	Current Rating	strands	Size (mm ²)	90 Mtr	100 Mtr				Per Mtr Rate									
				1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	16 Core	19 Core	24 Core		
●●●●●○	5	19	0.50	1300	3630	5070	6530	86	104	120	140	173	205	270	320	410		
●●●●●○	8	10	0.75	1820	5160	7190	9250	131	153	175	197	241	284	380	450	580		
●●●●●○	13	14	1.0	2420	6470	9100	12000	165	192	220	248	310	370	500	590	760		
●●●●●○	17	22	1.5	3670	9300	13200	17500	232	286	330	370	460	550	760	910	1140		
●●●●●○	24	36	2.5	5900	14750	20900	27700	370	440	500	570	710	850	1190	1410	1780		
●●●●●○	36	56	4.0	9100	22500	31800	43000	560	700	—	—	—	—	—	—	—		
●●●●●○	47	84	6.0	13600	34800	48700	64300	830	1040	—	Cut / Drum Length Available for All Sizes Above 1.5 MM ² X 2 Core				—	—		
●●●●●○	62	140	10	22660	62000	84000	109000	1460	—	—					—	—		
●●●●●○	79	224	16	36900	95000	134000	174000	2370	—	—	—	—	—	—	—	—		
					Per Mtr													
●●●●●○	108	350	25	640	1550	2100	2700	3580	—	—	—	—	—	—	—	—		
●●●●●○	132	490	35	910	—	2900	3800											
●●●●●○	162	315	50	1290	—	4160	5450											
●●●●●○	215	440	70	1800	—	5780	7660											
●●●●●○	260	590	95	2400	—	7800	10340											
●●●●●○	305	760	120	3100	—	10220	13440											
●●●●●○	355	962	150	3880	—	12570	17380											
●●●●●○	415	925	185	4830	—	—	—											
●●●●●○	500	1221	240	6530	—	—	—											
●●●●●○	585	1527	300	8300	—	—	—											
●●●●●○	695	2036	400	11070	—	—	—											

**WHITE - ROUND FLEXIBLE**

2

TEKSON® TEKSON® TEKSON® SITASONS®

Col or	Size (mm ²)	2 Core (100 M)	3 Core (100 M)	4 Core (100 M)	2.5 Core (90 M)
○	0.50	—	—	—	4100
○	0.75	5160	—	—	4950
○	1.0	6470	—	—	6200
○	1.5	9300	13200	—	9000
○	2.5	14750	20900	27700	14240

NEW

HSN: 85446020

New Sizes Added**Hi-flex Round Cable****90 MTR**

3

~ **PVC** * Highly Flexible | Extra Soft | Heavy Duty | Rough Use | Smooth Finish
 ~ **Copper** * Higher Current Carrying Capacity - 101% Electrolytic Bare Copper | Ultra fine drawn wires to increase flexibility

Longer Life

Extra Soft



Color	Size (mm ²)	2 Core	3 Core	4 Core	Current Rating
○	0.75	4860	—	—	9 Amp
○	1.0	6700	—	—	15 Amp
○	1.5	9000	12600	16700	19 Amp
○	2.5	14000	20300	26600	25 Amp
○	4.0	—	31500	42000	35 Amp

**APPLICATION**

- * Ideal for Moving Cable
- * Any Outdoor Application
- * Used in CNC Machines
- * Hand Tools
- * Extension Boards
- * Speakers
- * Camera Light

HSN: 85446020

SHIELDED CABLE (Braided + Screened) Per Mtr

4



Size	100 Mtr			Per Mtr Rate								
	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	16 Core	19 Core	24 Core
0.50	7000	7800	9500	126	136	166	190	226	285	370	440	530
0.75	7700	10200	13000	-	-	-	-	-	-	-	-	-
1.00	10000	13300	17200	226	260	310	340	420	530	690	830	1040
1.50	14600	19000	25500	-	420	-	560	680	800	-	-	-
2.50	23400	31000	40000	-	-	-	-	-	-	-	-	-
4.00	-	-	59000	-	-	-	-	-	-	-	-	-
6.00	-	-	87000	-	-	-	-	-	-	-	-	-

Cut / Drum Length
Available for All SizesShielded Armoured
Available on Order

SHIELDED

NEW

HSN: 85446020

AUTOMATION CABLE (90 M)

5

FLEXIBLE CORE**SCREENED SHIELDED**

Core	7/38	14/38
4 Core	2300	4600
6 Core	3450	6900
8 Core	4600	9200
10 Core	5750	11500
12 Core	6900	13800



Core	7/38	14/38
4 Core	3460	6350
6 Core	5230	9600
8 Core	6930	12760
10 Core	8700	16000
12 Core	10400	19200

HSN: 85441920

THERMOCOUPLE & PT-100 WIRE (100M)

6

Size	Rate	Color Code	Temp Range
J Type	3200	Black	600°C
K Type	3200	Red	1000°C
PT-100	4000	3 Core Teflon Taped and overall Teflon Taped	



HSN: 85446090

FIBRE GLASS WIRE (100M)

7

Tinned Copper



Size (mm ²)	TEKSON®	SITASONS®	TSR®	SITASONS®
0.5	1980	-	-	Red Color
0.75	2730	-	-	Black Color
1.0	3000	2560	2200	2600 ●●
1.5	4480	3740	3140	3800 ●●
2.5	6900	5780	4750	5850 ●●
4	10640	8880	7140	8900 ●●
6	15600	12830	10380	
10	26000	21700	17500	
16	42500	35300	29000	
25	725 Per Mtr	590 Per Mtr		
35	995 Per Mtr	840 Per Mtr		
50	1420 Per Mtr	1190 Per Mtr		
70	2080 Per Mtr	1450 Per Mtr		
95	2860 Per Mtr	2100 Per Mtr		
120	3800 Per Mtr	3000 Per Mtr		
150	4800 Per Mtr	4200 Per Mtr		
185	-	5200 Per Mtr		

Double Braiding
(Cut Length Also Available)

FiberGlass in Color



NEW

TEFLON LIGHTING WIRE

8

Tinned Copper



* Suitable for wiring in less space
* Best for LED Strip lights, Fancy Lights, House wiring

Size (Mm ²)	Rate	Rate	OD
0.50	2600	2300	1.10 MM
0.75	3800	3300	1.40 MM

TEFLON WIRE (100M)

HSN: 85446090

TEKSON® SITASONS®

Size	Rate	Rate
1.0	5400	4760
1.5	7030	6140
2.5	10200	8730
4	14200	12000
6	20500	17500
10	34500	29300
16	57000	

Now in
Tinned
CopperBlack
White
Red

* Tinned Copper
* Triple Taped
* Export Quality Tape
* 100% Fresh Reel




NEW

HSN: 85444992

CAT 6 NETWORKING CABLES

9



Item	List	Length	Make	Color
CAT 6 Tekson 90 Mtr	4950	90 Mtr	Tekson	●
CAT 6 Tekson 305 Mtr Cu .51MM	16500	305 Mtr	Tekson	●
CAT 6 SitaSons 305 Mtr Cu .45MM	12800	305 Mtr	SitaSons	●
CAT 6 TSR 305 Mtr CCA .51MM	7000	305 Mtr	TSR	●
CAT 6 Outdoor Black Cu .51MM	17000	305 Mtr	Tekson	●
CAT 6 Armoured	132	per mtr	Tekson	●

HSN: 85442010

RG 6 COAXIAL CABLE

10



Item	90 MTR	305 MTR
RG 6 CCS - SitaSons	1480	—
RG 6 CCS - Tekson	1730	6050
RG 6 COPPER - SitaSons	2800	—
RG 6 COPPER - Tekson	3400	11700
RG 6 COP Armoured	100 per mtr	




HSN: 85447090

OPTIC FIBRE CABLE

11



Item	Rate / Mtr	Packing	Mode
Optic 2 Fibre Cable 2F SM	22	1000 Mtr	Single Mode
Optic 4 Fibre Cable 4F SM	30	1000 Mtr	Single Mode



HSN: 85442010

CCTV WIRE

12



ITEM	SITASONS® Alloy+Copper	TEKSON® Solid Copper	TEKSON® Full Copper	TEKSON® Heavy Duty RG59Cu + 3Core (0.51MM)
	(90 Mtrs)	(90 Mtrs)	(90 Mtrs)	(305 Mtrs) Drum
CCTV (3+1)	2130	3070	3800	16200
CCTV (4+1)	2510	3600	4250	
CCTV (6+1)	3170	—	5430	
CCTV (8+1)	3600	—	6620	




HSN: 85444220

SITASONS® LEAD WIRE (with moulded TOP)

13



ITEM	Length	Color	Rate	Packing
3 PIN PRESS (With Thimble)	2.5 Mtr	○	200	10 Pcs
2 PIN FLAT	2 Mtr	○	62	20 Pcs
2 PIN FLAT	2.5 Mtr	○	69	20 Pcs
3 PIN 6A	2 Mtr	○	153	10 Pcs
3 PIN 6A	2.5 Mtr	○	166	10 Pcs
3 PIN 16A (Power - A.C.)	2 Mtr	○	300	8 Pcs



Press Lead

HSN: 85446020

SOLID COPPER (90 Mtr)

SIZE	Rate	Color
—	—	—
1.50	4200	● ● ● ● ●
2.50	7000	● ● ● ● ●
4.0	10500	● ● ● ● ●
6.0	16600	● ● ● ● ●
10.0	27600	● ●
—	—	—
—	—	—



STRANDED COPPER (90 Mtr)

Size	Amp	Color	SWG	Rate
0.75	5	●	1/18	2700
2.5	18	● ●	7/22	7100
4	25	● ● ● ● ●	7/20	10400
6	30	● ● ● ● ●	7/18	17200
12	42	● ● ● ● ●	7/16	35000
25	57	●	7/14	62300
40	97	●	19/16	1060 Per Mtr
65	140	●	19/14	1920 Per Mtr

18

ALUMINIUM CABLES (Domestic Range)

HSN: 85444999

2 CORE AL TWIN FLAT

90 Mtr			500 Mtr		
Size	SITA SONS	TEKSON®	Size	SITA SONS	Length
2.5 X 2	—	2210 TEKSON®	—	—	—
4 X 2	2400 SITA SONS®	2900 TEKSON®	4 X 2	—	16120 TEKSON® 500 Mtr
6 X 2	3100 SITA SONS®	3850 TEKSON®	6 X 2	17200 SITA SONS®	21400 TEKSON® 500 Mtr
10 X 2	4900 SITA SONS®	6000 TEKSON®	10 X 2	27250 SITA SONS®	33400 TEKSON® 500 Mtr
16 X 2	6750 SITA SONS®	9300 TEKSON®	16 X 2	37500 SITA SONS® (500M)	25850 TEKSON® (250M)
25 X 2	10000 SITA SONS®	12500 TEKSON®	25 X 2	27800 SITA SONS® (250M)	34750 TEKSON® (250M) 250 Mtr
35 X 2	14000 SITA SONS®	—	35 X 2	38900 SITA SONS® (250M)	— 250 Mtr
10 X 2	4100 TSR®	—	10 X 2	22800 TSR®	500 Mtr



NEW

NEW

19

SOLID SINGLE CORE

Size	Rate	COLOR
1.5	620	● ●
2.5	950	● ●
4	1310	● ●
6	1950	● ●
10	3110	● ●
16	4650	●
25	6410	●



STRANDED SINGLE CORE

Size	Rate	Color
6	2520	● ● ● ● ●
10	3880	● ● ● ● ●
16	5190	● ● ● ● ●
25	8080	● ● ● ● ●
35	10640	● ● ● ● ●
50	15100	● ● ● ● ●

Size	Rate	Color
10	2800	● ● ●
16	4000	● ● ●
25	6330	● ● ●
35	8530	● ● ●
50	11500	● ● ●



4 CORE

Size	Rate Per Mtr	Rate Per Mtr	Std Lgth
10 X 4 AU	137	161	400 Mtr
16 X 4 AU	179	215	300 Mtr
25 X 4 AU	272	310	250 Mtr
35 X 4 AU	360	420	—
50 X 4 AU	520	580	—

20

ARMOURED CABLES

XLPE/PVC INSULATED (HEAVY DUTY) ELECTRIC CABLES FOR VOLTAGE UPTO 1100 VOLTS

ALUMINIUM CABLE

21

ARMOURED						UN ARMoured					
Size mm ²	1 Core	2 Core	3 Core	3.5 Core	4 Core	Size mm ²	1 Core	2 Core	3 Core	3.5 Core	4 Core
4	—	89	108	—	120	4	—	—	70	—	87
6	—	112	140	—	152	6	—	—	86	—	106
10	—	142	182	—	206	10	—	102	129	—	157
16	—	186	240	—	273	16	—	132	171	—	207
25	—	247	330	350	390	25	—	185	255	—	310
35	—	320	420	440	480	35	—	230	—	380	410
50	—	410	560	590	660	50	—	—	—	510	560
70	—	—	—	790	900	70	237	—	—	690	790
95	—	—	—	990	1140	95	300	—	—	930	1070
120	—	—	—	1260	1460	120	390	—	—	1230	1390
150	530	—	—	1570	1840	150	450	—	—	1560	1760
185	650	—	—	1910	2260	185	570	—	—	—	—
240	860	—	—	2480	2860	240	740	—	—	—	—
300	1030	—	—	3090	—	300	940	—	—	—	—
400	1310	—	—	3950	—	400	1210	—	—	—	—
500	1630	—	—	—	—	500	1520	—	—	—	—
630	2000	—	—	—	—	630	1870	—	—	—	—



COPPER ARMOURED CABLE

22

Size mm ²	2 Core	3 Core	3.5 Core	4 Core
1.5	132	190	—	234
2.5	206	275	—	360
4	285	390	—	510
6	420	600	—	780
10	700	1040	—	1270
16	950	1400	—	1700
25	—	2230	—	2800
35	—	—	—	3800
50	—	—	5000	5500



HSN: 85444992

JELLY FILLED TELEPHONE CABLE

23

ARMoured (0.50 MM)

PAIR	Rate (Per Mtr)
5 PAIR Jelly Filled	150
10 PAIR Jelly Filled	240
20 PAIR Jelly Filled	420
50 PAIR Jelly Filled	860



ALUMINIUM CABLE SITASONS

ARMoured

Size mm ²	2 Core	3.5 Core	4 Core
4	63	—	—
6	83	—	—
10	108	—	160
16	—	—	224
25	—	—	330
35	—	—	440
50	—	520	580
70	—	670	760
95	—	870	990
120	—	1080	—

UN ARMoured

Size mm ²	3 Core Solid	4 Core
4	—	—
6	—	—
10	108 Solid	137
16	142 Solid	180
25	180 Solid	272
35	245 Solid	360
50	—	500
70	—	—
95	—	—
120	—	—

COPPER ARMOURED SITASONS

24

SIZE	2 Core	3 Core	4 Core
1.5	104	—	—
2.5	178	232	300
4	—	340	440
6	—	500	650
10	—	—	1140



DC SOLAR CABLE

LAUNCHING...



TEKSON®

Features :-

- > Photovoltaic Cables for Solar Energy Systems
- > Highly Conductive **Tinned** Copper
- > High Temperature Resistant
- > UV radiations resistant
- > **Double Insuation** - (XLPO + UV PVC)

PRICE LIST

SIZE	RATE	PKG	COLOR
4.0 SQMM	90/- per mtr	500 Mtr	Black (With Red Lining)
6.0 SQMM	130/- per mtr	500 Mtr	Black (With Red Lining)

* Prices are subject to change
as per current prevailing prices

* Cut Length Available


 **TEKSON®**
CABLES

DC
SOLAR
CABLE

Orders :- +91-9625877033, 011- 43025143, 45522143 | 9953577033 (Subodh Garg)



Launching...



SIZE	LIST	LENGTH
0.25 MM ² Black Twin Parallel	1200/-	90 Mtr
0.50 MM ² Black Twin Parallel	2200/-	90 Mtr
0.75 MM ² Black Twin Parallel	3200/-	90 Mtr

Specially Designed For :-

LED Profile Lights | Wardrobe Fittings | Audio & Speakers | Car Accessories

- > **100%** Electrolytic CC Grade Bare Copper
- > **PVC** - RoHS Compliant | FR High Grade | All Weather | Hardened Gloss Finish
- > Very **Thin OD** - Suitable for wiring needing less Space

Orders :- +91-9625877033, 011- 43025143, 45522143 | 9953577033 (Subodh Garg)



HSN: 85446020

ALUMINIUM CABLE

25




ARMOURED				UN ARMOURED		2 CORE FLAT ALUMINIUM		
SIZE	2 Core	3.5 Core	4 Core	SIZE	4 Core	SIZE	90 Mtr	500Mtr
4 SS	63	—	—	10 X 4 AU SS	137	4 X 2 FLAT SS	2400	—
6 SS	83	—	—	16 X 4 AU SS	180	6 X 2 FLAT SS	3100	17200
10 SS	108	—	160	25 X 4 AU SS	272	10 X 2 FLAT SS	4900	27250
16 SS	—	—	224	35 X 4 AU SS	360	16 X 2 FLAT SS	6750	37500
25 SS	—	—	330	50 X 4 AU SS	500	25 X 2 FLAT SS	10000	27800 (250 M)
35 SS	—	—	440	SIZE		35 X 2 FLAT SS	14000	38900 (250 M)
50 SS	—	520	580	3 Core		 		
70 SS	—	670	760	10 x 3 AU SOLID				
95 SS	—	870	990	16 x 3 AU SOLID				
120 SS	—	1080	—	25 x 3 AU SOLID				
				35 x 3 AU SOLID				

HSN: 85446020

COPPER ROUND FLEXIBLE CABLE

26

		SINGLE CORE				MULTI CORE (BLACK)						20
Color	Size (mm ²)	90 Mtr	90 Mtr				Rate per Mtr (Std Pkg - 90+90 Mtr)					
		1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core	8 Core	10 Core	12 Core	
 	0.50	—	3180	4100	5460	76	90	108	120	145	175	
	0.75	1570	4100	5630	7400	—	—	—	—	—	—	
	1.0	2070	5000	7000	9500	132	156	178	200	250	300	
	1.5	2960	7050	10000	13400	—	—	—	—	—	—	
	2.5	4800	11370	16000	21000	—	—	—	—	—	—	
	4.0	7550	17600	25000	33000	—	—	—	—	—	—	
	6.0	11000	26340	36600	48420	—	—	—	—	—	—	
	Per Mtr											
	10	19600	—	720	940							
	16	31100	—	1110	1460							
	25	47730	—	1730	2300							
	35	67000	—	—	—							
	50	95000	—	—	—							

WHITE ROUND (2.5 CORE) 27**COPPER ARMOURED** 28

	Size	Rate (90 Mtr)
	.50 mm ² x 3 Core	4100
	.75 mm ² x 2.5 Core	4950
	1.0 mm ² x 2.5 Core	6200
	1.5 mm ² x 2.5 Core	9000
	2.5 mm ² x 2.5 Core	14240

SIZE	2 Core
1.5 x 2 Core SS	104
1.5 x 2 Core Tekson	132
(FRLS) With RED Color PVC for Fire Alarm System	
	

CCTV CAMERA WIRE 29				SUBMERSIBLE CABLE 30			
Size	Rate	Length		Size	90 M	500 M	
3 + 1 SS	2130	90 M		1.5 X 3 Flat	10200	—	
4 + 1 SS	2510	90 M		2.5 X 3 Flat	16300	90550	
6 + 1 SS	3170	90 M		4 X 3 Flat	25200	140000	
8 + 1 SS	3600	90 M		6 X 3 Flat	36850	204700	

CAT 6 2 CORE WHITE FLAT 31				RG-6 Telephone Pair 32			
Size	Rate	Length		Size	Rate	Length	
0.75 Ivory Flat SS	2750	90 M		RG-6 CCS SS	1480	90 M	
1.0 Ivory Flat SS	3770	90 M		RG-6 Cop SS	2800	90 M	
0.50 White Parallel SS	1600	90 M		2 Pair SS	1500	90 M	
CAT 6 SS	12800	305 M		4 Pair SS	3000	90 M	
				10 Pair SS	7500	90 M	

Now with Double Protection from Rusting

GI SHEET

&

POWDER COATING

HSN: 85371000

100% Copper Strips



BUS BAR CHAMBERS

L X B X H

Rating(Amp)	VOLT	RATE	Box Size (CM)
32	415	1350	23 X 21 X 10
63	415	1840	30 X 23 X 10
100	415	2800	38 X 30 X 11
200	415	4400	46 X 38 X 13
320	415	5300	46 X 38 X 13
400	415	7600	51 X 43 X 16

2POLE / 4 POLE 33

Size	RATE per piece	Size CM	Pkg
2 Pole	120	15 X 6 X 6	10 Piece
4 Pole	160	15 X 10 X 6	10 Piece



Light Grey Color

100% Copper Short Patti



SPN DB

Single Door

Double Door

Size	RATE	Size	RATE	Size (CM)
4 Way	290	19 X 12 X 6	550	22 X 13 X 10
6 Way	390	19 X 15 X 6	640	22 X 18 X 10
8 Way	430	19 X 19 X 6	740	22 X 22 X 10
10 Way	510	19 X 22 X 6	830	22 X 24 X 10
12 Way	580	19 X 27 X 6	920	22 X 28 X 10
16 Way	700	19 X 37 X 6	1050	22 X 32 X 10

TPN DB


Double Door

Size	RATE	Size (CM)
4 Way TPN	1530	38 x 28 x 10
6 Way TPN	1940	38 x 35 x 10
8 Way TPN	2350	42 x 38 x 10
12 Way TPN	3460	56 x 38 x 10

M.C.C.B BOX

(Multipurpose: Compatible with most company's MCCBs)

Rating(Amp)	VOLT	RATE	Box Size (CM) L X B X H
100	415	880	40 x 20 x 9
200	415	1020	40 x 20 x 13
320	415	1620	50 x 26 x 13
400	415	3040	60 x 36 x 18



Now with Double Protection from Rusting

GI SHEET

&

POWDER COATING

(OFF-LOAD)

REWIRABLE SWITCH FUSE UNITS

HSN: 85365010

Rating (Amp)	DP (240V)	Size(CM)	Rating(Amp)	TPN (415V)	Box Size (CM)
63	4000	33 x 21 x 11	32	2300	26 x 22 x 9
			63	5560	35 x 28 x 13
			100 (Blade)	9200	41 x 32 x 14
			200 (Blade)	15700	55 x 32 x 18

HRC SWITCH (With Fuse & Double Brake)

HSN: 85365010

Rating(Amp)	VOLT	TYPE	RATE	Box Size (CM)
200	415	HRC	15700	35 x 35 x 33
320	415	HRC	16800	35 x 35 x 33
400	415	HRC	25000	36 x 45 x 35
630	415	HRC	54000	41 x 55 x 40
800	415	HRC	57000	41 x 55 x 40

(OFF-LOAD)

CHANGEOVER SWITCHES - KNIFE TYPE

HSN: 85365010

Double Pole			Four Pole		
Rating (Amp)	DP (240V)	Size(CM)	Rating(Amp)	FP (415V)	Box Size (CM)
32	1350	21 x 15 x 9	32	2650	21 x 27 x 9
63	4000	31 x 21 x 17	63	6800	31 x 36 x 17
100	6200	31 x 21 x 17	100	8800	31 x 36 x 17
			200	19200	50 x 44 x 25
			320	21400	50 x 44 x 25
			400	44000	58 x 51 x 39
			630	61000	65 x 64 x 31
			800	65000	65 x 64 x 31

100 %
COPPER PARTS

INDUSTRIAL BUS BAR CHAMBERS

HSN: 85371000

Step Type Model

Rating(Amp)	VOLT	RATE	Box Size (CM) L X B X H
32	415	2100	26 x 23 x 13
63	415	2800	28 x 23 x 13
100	415	4300	36 x 30 x 15
200	415	7600	43 x 43 x 20
320	415	8600	43 x 43 x 20
400	415	16000	61 x 58 x 28
500	415	20000	61 x 58 x 28
630	415	32500	61 x 58 x 28
800	415	40000	61 x 58 x 28

FEATURES :

- > Made with Special **GI Sheet**
- > Heavy Duty Body
 - 1.0MM (20 Gauge)
- > Extra Ordinary **Space**
 - More Height for wiring comfort
- > Neutral Link Comb
 - Pure Copper Silver-Plated
- > Spectacular Design
 - Hidden Hinges
- > Special Granual Powder Coating



SPN DB

Double Door

HSN: 85371000



Size	RATE	Size (CM)
4 Way DD	850	24 x 18 x 9
6 Way DD	980	24 x 22 x 9
8 Way DD	1130	24 x 25 x 9
10 Way DD	1280	24 x 29 x 9
12 Way DD	1430	24 x 32 x 9
16 Way DD	1700	24 x 39 x 9

TPN DB

Double Door

HSN: 85371000



Size	RATE	Size (CM)
4 Way TPN	2150	39 x 29 x 10
6 Way TPN	2650	39 x 36 x 10
8 Way TPN	3100	39 x 43 x 10
12 Way TPN	4700	47 x 60 x 10



➔ 12 TPN DD (With more Space for Wiring)

M.C.C.B. BOX

(Multipurpose: Compatible with most company's MCCBs)

HSN: 85371000



Rating(Amp)	VOLT	RATE	Cutting Size (MM) Length X Height	Box Size (CM)
100	415	1120	76 MM x 52 MM	41 x 21 x 9.5
200	415	1240	76 MM x 52 MM	41 x 21 x 13.5
320	415	1800	76 MM x 95 MM	50 x 24 x 13
400	415	3650	93 MM x 127 MM	60 x 36 x 18

A.C. BOX

With Plug & Socket

HSN: 85371000



Rating(Amp)	Volt	Type	RATE	Box Size (CM)
20 A	240	SP	630	15 x 12 x 6
20 A	415	TP	1040	28 x 11 x 7
30 A	415	TP	1460	28 x 11 x 7

KIT KAT FUSE (Thermocol Packing)

HSN: 85361020



Premium Quality

Rating(Amp)	XL	With Extension
63 DMC	520	—
100 Porcelain	960	1080
200 Porcelain	1700	1900
500 Porcelain	—	3170



PVC CLIP

1

HSN: 39174000



SIZE	RATE/Pkt	Pcs/Pkt	Packing
4 MM	33	100 Pcs	100 Pkt
7 MM	46	100 Pcs	100 Pkt
10 MM	74	100 Pcs	100 Pkt
12 MM	96	100 Pcs	100 Pkt
16 MM	150	100 Pcs	25 Pkt
20 MM	190	100 Pcs	25 Pkt
25 MM	280	100 Pcs	20 Pkt
32 MM	740	100 Pcs	10 Pkt
40 MM	1000	100 Pcs	5 Pkt
50 MM	1800	100 Pcs	5 Pkt
BattenClip	46	100 Pcs	100 Pkt

SITASONS® PVC CLIP

NEW



SIZE	RATE/Pkt	Pcs/Pkt	Packing
20 MM SITASONS®	170	100 Pcs	25 Pkt
25 MM SITASONS®	230	100 Pcs	20 Pkt

PVC GITTI

2

HSN: 39269099



SIZE	RATE/Pkt	Pcs/Pkt	Pack
35x8 Gitti (Reg)	240	500 Pcs (50x10)	20 Pkt
38 x 8 Gitti	320	500 Pcs (50x10)	20 Pkt
50 x 8 Gitti	620	500 Pcs (50x10)	10 Pkt

PVC ELBOW & TEE

3

HSN: 39174000



SIZE	ITEM	RATE	Packing
20 MM	Elbow	290 / 100	500 Pcs
25 MM	Elbow	560 / 100	500 Pcs
20 MM	Tee	420 / 100	500 Pcs
25 MM	Tee	700 / 100	400 Pcs
25 MM	Socket	550 / 100	500 Pcs

PVC MCB BOX

4

HSN: 85371000



SIZE	RATE/ Pcs	Packing
2 Pole	52	10 Pcs
4 Pole	74	10 Pcs

PVC SHUTTER

5

HSN: 84149030

(6" Grill) (6" Flap)



SIZE	RATE/ Pcs	Packing
6" Grill Shutter	240	15 Pcs
6" Flap Shutter	240	15 Pcs
12" Flap Shutter	260	8 Pcs

HSN: 39174000



HSN: 85389000



HSN: 85389000

Switch & Socket
MULTI
PURPOSE

HSN: 39174000



ABS JUNCTION BOX

6

SIZE	RATE/Dz	Box Pkg
25 MM	340	9 Dz

PVC JUNCTION BOX

7

SIZE	RATE	Box Pkg
20 MM	140	15 Dz
25 MM	140	15 Dz

JUNCTION BOX-JUMBO

8

SIZE	RATE	Box Pkg
25 MM	270	9 Dz
32 MM	530	4 Dz
40 MM	570	4 Dz
50 MM	920	2 Dz

MODULAR SURFACE BOX

9

M	SIZE	RATE/ Pcs	Pack
2	3 X 3	35	72
3	4 X 3	52	48
4	5 X 3	56	36
6	8 X 3	74	25
8	5 X 5	92	20
8	9 X 3	100	21
12	8 X 6	120	14
18	8 X 8	190	9

PVC GANG BOX

10

SIZE	RATE	Pack
1 Way 6A	24	10 Pcs
2 Way 6A	30	10 Pcs
3 Way 6A	32	10 Pcs
4 Way 6A	38	10 Pcs
5 Way 6A	46	10 Pcs
6 Way 6A	50	10 Pcs
6 Way 6A Square	82	10 Pcs
8 Way 6A Square	64	10 Pcs
10 Way 6A Square	88	10 Pcs
1 Way 16A	34	10 Pcs
2 Way 16A	46	10 Pcs
4 Way 16A	92	10 Pcs

PVC MCB DUMMY

11

HSN: 85389000

1 Module

RATE	Packing
190 / 100 Pcs	100 x 5 Pkt

PVC SQUARE BOX

12

SIZE	RATE/ Pcs	Packing
PVC SQ BOX	9	50

HSN: 39173100

FLEXIBLE PIPE

13



MEDIUM

MEDIUM

SIZE	RATE(₹)	PKG	SIZE	RATE	PKG
Rolls			Rolls		
3/4"	150	42	3/4"	180	42
1"	196	30	1"	240	30

Length - 25 Mtr



HEAVY

HEAVY

SIZE	RATE	Pkg	SIZE	RATE	Pkg	Length
1/2"	170	25	1/2"	250	25 Roll	25 Mtr
3/4"	210	20	3/4"	300	20 Roll	25 Mtr
1"	280	15	1"	370	15 Roll	25 Mtr
1 1/4"	450	10	1 1/4"	630	10 Roll	25 Mtr
1 1/2"	530	10	1 1/2"	670	10 Roll	20 Mtr
2"	570	10	2"	710	10 Roll	15 Mtr



BLACK FLEXIBLE PIPE

	RATE	PKG	(MTR) LENGTH
10 MM			
12 MM			
16 MM	710	5	25
20 MM	810	5	25
25 MM	1000	5	25
32 MM	1680	5	25
40 MM	1940	5	20
50 MM	2000	5	15

HSN: 39269099

ROUND SHEET

14



4" PLAIN



4" POP



4" PLAIN -3MM



5" PLAIN -3MM



7" POP



7" PLAIN




7" PLAIN -3MM

Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg	Rate	Pkg
4.0	1000	5.0	1000	9.0	1000	13	750	14	300	17	500	27	300

HSN: 39162019

PVC BATTEN

15



SIZE	QTY	RATE / Kg	RATE / pcs Approx	WT. (Approx)
20/12	150 Pcs	220 Per KG	37.00/-	25 Kg
25/16	100 Pcs	220 Per KG	52.00/-	23.5 Kg
30/15	80 Pcs	220 Per KG	67.00/-	24.5 Kg
38/20	50 Pcs	220 Per KG	88.00/-	20Kg
50/20	50 Pcs	220 Per KG	108.00/-	24.5 Kg

* Rates will be taken on "per KG basis" only. Per Piece rate mentioned only for reference

HSN: 39174000

PVC BENDS

16



SIZE		RATE	PACK
20 MM	Medium	100	40 Dzn
25 MM	Medium	120	40 Dzn
25 MM	Heavy	180	40 Dzn
32 MM	Heavy	340	15 Dzn

HSN: 85469090

PVC TAPE

17

JUMBO

NORMAL

Length	15 Mtr	7 Mtr
List	28/- Per Piece	380/- per Box (30 Pcs)
Packing	300 Pcs Carton	480 Pcs per Bag
Colors		


HSN: 59061000
GST: 5%

COTTON TAPE

18

Black Cotton Tape with Adhesive



	Rate	Pkg
TEKSON Cotton Tape	120	24



	Rate	Pkg
T & T Cotton Tape	76	10

FITTING ITEMS

HSN: 39174000

1

ABS
TEKSON®


3" FAN BOX (ABS)

Rate	Pkg
180/-	12 PCS



3" CONCEALED BOX

Rate	Pkg
80/-	20 PCS



4" CONCEALED BOX

Rate	Pkg
100/-	20 PCS



DEEP T 3"

Rate	Pkg
560/-	1 Dz



JUNCTION BOX

Rate	Pkg
340/-	9 Dz

HSN: 73079990

2

METAL
TEKSON®
 HEAVY


FAN BOX (T)

Rate	Pkg
170/-	35 PCS



3" CONCEALED BOX

Rate	Pkg
94/-	80 PCS



4" CONCEALED BOX

Rate	Pkg
110/-	60 PCS



DEEP T 3" MS

Rate	Pkg
680/-	15 DZN


Cast Iron (CI)
 JUNCTION BOX

Rate	Pkg
460/-	42 Dzn

METAL
SITASONS®
 MEDIUM

3


SITASONS
 FAN BOX (SS)

Rate	Pkg
116/-	60 PCS



3" CONCEALED BOX

Rate	Pkg
70/-	80 PCS


 SUITABLE FOR CONCEALED LIGHT UPTO 5" CUTTING
SITASONS
 5" ROUND HANDI BOX

Rate	Pkg
84/-	80 PCS


Cast Iron (CI)
 JUNCTION BOX

Size	Rate	Pkg
20 MM	380/-	60 Dzn
25 MM	400/-	45 Dzn

No Welding, No Joint
Deep DrawnFAN DOWN ROD **TEKSON®** 16 Gauge

HSN: 84149030



16 Gauge

Size	Rate	Pack	Color
6"	48	25	○ ●
9"	50	25	○ ●
12"	52	25	○ ● ●
15"	65	25	○ ● ●
18"	78	25	○ ● ●
21"	91	25	○ ● ●
24"	104	25	○ ● ●
30"	130	25	○ ●
36"	156	25	○ ●
48"	224	25	○ ●
60"	280	25	○ ●
72"	336	25	○ ●
84"	406	10	○ ●
96"	464	10	○ ●
108"	522	10	○ ●
120"	580	10	○ ●

New

FAN DOWN ROD **SITASONS** 20 Gauge

4



Size	Rate	Pack	Color
12"	42	25	○ ●
15"	53	25	○ ●
18"	63	25	○ ●
24"	84	25	○ ●
30"	105	25	○ ●
36"	126	25	○ ●



HSN: 73181500

ITEM	RATE	PKG
Fan Clamp 16G	30 / Pcs	250
Fan Clamp 14G	46 / Pcs	100
Fan Hook	200 / Kg	25Kg
10MM Fan Fastner	36 / Pcs	20
12MM Fan Fastner	62 / Pcs	12
6 No. Wall Gitti Fastner	12 / Pcs	100
8 No. Wall Gitti Fastner	16 / Pcs	60
10 No. Wall Gitti Fastner	24 / Pcs	40
12 No. Wall Gitti Fastner	46 / Pcs	25
10 x 75 Wall Keel Fastner	20 / Pcs	70

5 22G FOLDED GI WHITE BOX


Md	SIZE	RATE	Pk
2	3 X 3	36	120
3	4 X 3	44	90
4	5 X 3	55	70
6	8 X 3	75	40
8	5 X 5	82	35
8	9 X 3	94	35
12	8 X 6	112	20

HSN: 85389000

6 18G GI WHITE BOX


Md	SIZE	RATE	Pk
2	3 X 3	47	120
3	4 X 3	56	90
4	5 X 3	68	70
6	8 X 3	94	40
8	5 X 5	104	35
8	9 X 3	118	35
12	8 X 6	140	20
18	8 X 8	234	12

7 16G BLACK POWDER COATED BOX


Md	SIZE	RATE	Pk
2	3 X 3	70	120
3	4 X 3	84	90
4	5 X 3	102	70
6	8 X 3	146	40
8	5 X 5	150	35
8	9 X 3	168	35
12	8 X 6	210	20
18	8 X 8	310	12

8 STAINLESS STEEL
 Loose Pieces Available
MODULAR BOX

	SIZE	RATE	PK
2	3 X 3	140	80
3	4 X 3	160	60
4	5 X 3	190	48
6	8 X 3	260	29
8	5 X 5	280	24
8	9 X 3	310	25
12	8 X 6	400	14

STAINLESS STEEL
9 18G GI Local Fit NON MODULAR

9" x 4"
NON
MODULAR

	SIZE	RATE	PK
	4 X 4	76	70
	7 X 4	108	40
	9 X 4	132	30
	8 X 6	170	20
	8 X 10	270	10
	8 X 12	290	10
	10 X 12	370	7
	12 X 14	470	5

HSN: 84149030

GI SHUTTER (POWDER COATED)
 For Exhaust Fans


Heavy Duty



Size	RATE	Inner Cutting Dimension	Pkg
9 Inch	600	9" X 9"	5 Pcs
12 Inch	740	12" X 12"	5 Pcs
15 Inch	920	15" X 15"	5 Pcs
18 inch	1290	18" X 18"	5 Pcs
24 inch	1700	24" X 24"	5 Pcs

10

HSN: 73079990

New

MS SHADDLE WITHOUT BASE


SIZE	RATE (per pcs)	PACK
12MM		
16MM		
3/4" 20MM	2.80	200
1" 25MM	3.20	125
1 1/4" 32MM	3.80	100
1 1/2" 40MM	4.40	60
2" 50MM	5.00	50

11

HSN: 85389000


GI MCB CHANNEL 18 Gauge
COPPER MCB SHORT PATTI 20 Gauge

Length	RATE	Pkg
1 Meter	110	10 Pcs
2 Ft (36 Way) L-Shaped Fork Type	240	10 Pcs

12
CABLE TIE
13

HSN: 39269099

NYLON
 NATURAL COLOR


SIZE	RATE	RATE
4"	100 X 2.0	21
6"	150 X 2.5	42
	150 X 3.6	62
8"	200 X 2.5	56
	200 X 3.6	80
10"	250 X 3.0	82
	250 X 3.6	110
12"	300 X 3.6	130
	300 X 4.8	170
14"	350 X 3.6	156
	350 X 4.8	220
16"	400 X 4.8	250
18"	450 X 4.8	300

SCREW

(1 Grus = 144 Pcs)

BRASS SCREW

HSN: 74153390



Size	Rate/ Grus	Packing (Grus)
1"	720	6
1 1/2"	980	3
2"	1180	3
2 1/2"	1460	3
3"	1800	3
4"	2420	2

HSN: 74152100

WASHER 640 (60 pcs x 12 pkt)

HSN: 72173010

STEEL WIRE (TATA)

210 / kg 25 kg
 Pkg: 500Gm | 1Kg
 Color Code :

14
GYPSON SCREW
15

HSN: 73181190



Size	Rate
1/2"	0.410
3/4"	0.420
1"	0.520
1 1/2"	0.760
2"	0.960
2 1/2"	1.180
3"	1.520
4"	3.000

HSN: 73181190

(Rate / Pkt)

WOODEN SCREW
35 X 8 70
17



CONDUCTOR CURRENT RATINGS @ 20°C (In Air)

Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)	Area MM ²	ALUMINIUM (AMP)	COPPER (AMP)
1.5	13	17	95	155	260
2.5	18	24	120	180	305
4	23	36	150	205	355
6	30	47	185	240	415
10	40	62	240	280	500
16	51	79	300	315	585
25	70	108	400	375	695
35	86	132	500	410	--
50	105	162	630	455	--
70	130	215	--	--	--

Terms & Conditions:

1. This Price List supersedes all previous lists
2. Prices are EXCLUSIVE OF GST as applicable will be charged EXTRA at the actual date of supply
3. Prices are subject to change without any prior notice and the rates prevailing on delivery date shall be applicable
4. Disputes (if any) are subject to Delhi/New Delhi Jurisdiction only
5. Any damage during transportation of material will be the responsibility of the purchasing party
6. Transportation cartage as applicable to be paid by the purchasing party
7. An interest of 18% will be charged for delay in payment beyond 30 days from billing



TEKSON®



SITA SONS®

Works: C-17, DSIDC Industrial Area,
Rohtak Road, Nangloi, Delhi - 110041



contact@tekson.in

www.tekson.in

+91 9953577033

+91 9625877033

Cables | Switchgears | Metal Fitting | PVC Fitting